PATENT COOPERATION TREATY

From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

PCT

Xla

To:

Outokumpu Oyj Intellectual Property Management P.O. Box 27 FIN-02201 Espoo Finland 1. 02. 255

NOTIFICATION OF TRANSMITTAL OF INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Rule 71.1)

IMPORTANT NOTIFICATION

Date of mailing (day/month/year)

09-02-2005

Applicant's or agent's file reference

20021992 WO

International filing date (day/month/year) Priori

Priority date (day/month/year)

International application No. PCT/FI2003/000828

06-11-2003

07-11-2002

Applicant

Outokumpu Oyj et al

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary report on patentability and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in som Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary report on patentability. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, intentive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed invention is patentable or not" (see Also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the IPEA/

Patent- och registreringsverket Box 5055

S-102 42 STOCKHOLM

Facsimile No.

08-667 72 88

Telex 17978 PATOREG-S

Authorized officer

Christina Wall

Telephone No.

08-782 25 00

ATENT COOPERATION TREATY

PCT

REC'D . 1	4 FEB 2005
WIPO	PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

•	(4 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					
Applicant's or agent's file reference FOR FURTHER ACTION See Form PCT/IPEA/416 20021992 WO						
International application No.	International filing date (da)	/month/year)	Priority date (day/month/year)			
PCT/FI 2003/000828 06.11.2003			07.11.2002			
International Patent Classification (IPC)	or national classification and I	PC				
C25C 7/02, C25C 1/16,	C25B 9/02					
Applicant						
Outokumpu Oyj et al						
Authority under Article 35 and t	ransmitted to the applicant ac	COMMINE OF PARTICIO	is International Preliminary Examining 36.			
2. This REPORT consists of a total	of 4 sheets, in	ncluding this cove	r sheet.			
3. This report is also accompanied			•			
	nt and to the International Bur	reau) a total of	3 sheets, as follows:			
		audaes which has	ve been amended and are the basis of this report			
and/or shee	ts containing rectifications aut	horized by this A	uthority (see Rule 70.16 and Section 607 of the			
l	tive Instructions). The supersede earlier sheets, but	which this Author	ority considers contain an amendment that goes			
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.						
b. (sent to the Interna	tional Bureau only) a total of	(indicate type and	number of electronic carrier(s))			
1	aantainina	, a comience listin	g and/or tables related thereto, in computer			
readable form only Administrative Ins	, as indicated in the Suppleme	ntal Box Relating	to Sequence Listing (see Section 802 of the			
		s.				
4. This report contains indications Box No. I Basis	s of the report					
Box No. II Prior						
		regard to novelty	, inventive step and industrial applicability			
1 4						
Day No. V. Pen	Box No. IV Lack of unity of invention Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial					
	icability; citations and explana ain documents cited	ations supporting	such statement			
	tain defects in the international	l ennlication				
			n			
Box No. VIII Certain observations on the international application						
Date of submission of the demand		Date of completi	on of this report			
19.05.2004		25.01.20	05			
Name and mailing address of the IPE	A/SE	Authorized offic	er			
Patent- och registreringsver	ket		•			
BOX 5055 S-102 42 STOCKHOLM		Ulrika N	ilsson/ELY			
1	0	Telephone No	+46 8 782 25 00			



International application No.

PCT/FI 2003/000828

Box	No. I	Basis of the report						
 With regard to the language, this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item. 								
	This report is based on a translation from the original language into the following language which is the language of a translation furnished for the purposes of:							
		international search (under Rules 12.3 and 23.1(b))	l					
		publication of the international application (under Rule 12.4)						
		international preliminary examination (under Rules 55.2 and/or 55.3)						
2.	furnish	With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):						
		the international application as originally filed/furnished	1					
	\boxtimes	the description:						
		pages 1-6 as originally						
		pages* received by this Authority on						
		pages* received by this Authority on						
	\boxtimes	the claims:	a					
		pages	/ filed/furnished					
		pages* as amended (together with any statement) pages* 7-9 received by this Authority on 22-10-2004						
		· 11 41.1. A A A A A						
	\boxtimes	the drawings: pages 1 as originally	v filed/firmished					
		pages* received by this Authority on received by this Authority on						
		a sequence listing and/or any related table(s) — see Supplemental Box Relating to Sequence Listing.						
3.		The amendments have resulted in the cancellation of:						
		the description, pages						
		the claims, Nos.						
		the drawings, sheets/figs						
1		the sequence listing (specify):						
		any table(s) related to the sequence listing (specify):						
4.		This report has been established as if (some of) the amendments annexed to this report and listed made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supp 70.2(c)).	below had not been lemental Box (Rule					
		the description, pages						
1		the claims, Nos.						
		the drawings, sheets/figs						
		the sequence listing (specify):						
		any table(s) related to the sequence listing (specify):	•					
	If iten	4 applies, some or all of those sheets may be marked "superseded."	<u>.</u>					

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/FI 2003/000828

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1.	Statement			
	Novelty (N)	Claims	1-18	

Claims

YES NO

Inventive step (IS) Claims 1-18 YES

Claims NO

Industrial applicability (IA)

Claims

1-18

YES

NO

2. Citations and explanations (Rule 70.7)

This statement is based on the claims 1-18 filed with the letter of October 22, 2004.

Documents cited in the International Search Report:

D1: US 6 045 669 A (SHINGO MATSUMOTO ET AL)

D2: US 4 015 099 A (WILLIAM SENIUK ET AL)

D3: US 2 790 656 A (L.A. COOK)

D4: US 4 035 280 A (RICHARD DEANE ET AL)

D5: EP 0 376 447 A1 (ZIMCO INDUSTRIES (PROPRIETARY) LIMITED)

D6: DE 3 323 516 A1 (HAPAG-LLOYD WERFT GMBH)

D7: GB 2 252 569 A (BICC PUBLIC LIMITED COMPANY)

D1 refers to a structure of an electric contact in an electrolytic cell, where the upper surface of the bus bar is plated with gold. Nickel may be applied as a primary coating. The bus bar is made of copper.

D2 discloses a process for fixing a Cu contact button to the Al or Al alloy conductor bar of an electrode plate. The process comprises (a) coating the Cu button with a thin layer of Ag; (b) mechanically screwing the Cu button in the conductor bar; (c) pre-heating the assembly; (d) welding the Ag-coated Cu button to the Al bar. The solid mechanical joint obtained by screwing is thus being reinforced by a strong metallurgical bond with a low electrical contact resistance.

D3-D7 represent less relevant prior art.

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: BOX V

The documents do not disclose the special combination of features defined in the invention and D1-D2 are therefore now reconsidered to only represent prior art.

According to the invention, a transmission layer is formed on the copper contact surface of the bus bas, after which the contact surface is coated with silver or silver alloy using soldering or thermal spraying technique, wherein the coating material forms a metallurgical joint with the copper and the transmission layer.

It is not considered obvious to a person skilled in the art to modify the known methods or bars in D1 or D2 so as to obtain a method or electrolysis cell bus bar such as the ones claimed in the invention.

Therefore, the invention according to claims 1-18 is novel, considered to involve an inventive step and has industrial applicability.

TORRES AND PROPERTY

5

10 .

15

20

25

30

7

10/533797 JC17 Rec'd PCT/PTO 04 MAY 2005

PATENT CLAIMS

- 1. A method for forming a good contact surface on an electrolysis cell busbar used in the electrolysis of metals, where at least the surface of the bar is made of copper and the contact surface forms of an area on to which an electrode is lowered, characterised in that a transmission layer is formed on the copper contact surface of said busbar, after which the contact surface is coated with silver or silver alloy using soldering or thermal spraying technique, wherein the coating material forms a metallurgical joint with the copper and the transmission layer.
- 2. A method according to claim 1, **characterised in that** the transmission layer is of tin or a tin-dominant alloy.
- 3. A method according to claim 1 or 2, **characterised in that** the silver alloy is silver-copper.
- 4. A method according to any of the above claims, characterised in that in addition to a busbar the electrolysis cell is equipped with a potential balancing bar, on which a transmission layer is formed on the copper surface that comes into contact with the electrode, after which the contact surface is coated with silver or silver alloy, wherein the coating material forms a metallurgical joint with the copper and the transmission layer.
 - 5. A method according to any of the above claims, characterised in that the busbar is continuous in the longitudinal direction, so that the coating layer is formed along the whole length of the busbar.
 - 6. A method according to any of the above claims, characterised in that the contact surfaces of the busbar onto which the electrode is



5

15

20

25

30

lowered, are formed by notching or grooving, wherein the coating layer is formed on the notched or grooved areas of the busbar.

- 7. A method according to claim 1, **characterised in that** the thermal spraying technique is based on gas combustion.
- 8. A method according to claim 1 or 7, **characterised in that** the thermal spraying technique is high velocity oxy-fuel spraying.
- 9. A method according to any of the above claims, **characterised in that** the highly electroconductive coating material is in powder form.
 - 10. A method according to claim 1 or 7, **characterised in that** the thermal spraying technique is flame spraying.
 - 11. A method according to any of claims 1 7 or 10, characterised in that the highly electroconductive coating material is in wire form.
 - 12. A method according to any of the above claims, **characterised in that** the contact surface is subjected to heat treatment after coating.
 - 13. An electrolysis cell busbar for use in the electrolysis of metals, whereby at least a surface section of the bar is made of copper and a contact surface forms an area onto which an electrode is lowered, characterised in that a transmission layer is formed on the contact surface of the busbar, after which the contact surface has been coated with silver or silver alloy using soldering or thermal spraying technique, wherein the copper, transmission layer and coating material have formed a metallurgical joint.
 - 14. A busbar according to claim 13, characterised in that the transmission layer is tin or a tin-dominant alloy.

AMENDED SHEET

DEST NA MEROY

10

15

9

- 15. A busbar according to claim 13 or 14, **characterised in that** the silver alloy is silver-copper.
- 16. A busbar according to any of claims 13 15, **characterised in that** the busbar is continuous in the longitudinal direction, wherein the coating layer is formed along the whole length of the busbar.
 - 17. A busbar according to any of claims 13 15, **characterised in that** the busbar contact surfaces onto which the electrode is lowered, are fabricated by notching or grooving, wherein the coating layer is formed on the notched or grooved areas of the busbar.
 - 18. A busbar according to any of claims 13 15, **characterised in that** the bar is a potential balancing bar.